

# CONSTRUCTION PLYWOOD SUBSTRATE READINESS CHECKSHEET

## for Roofing & Decking Membrane Installation

### duroTUF TPO



<b>Project/Site Name</b>	
<b>Site Address</b>	
<b>Applicator</b>	
<b>Main Contractor</b>	

QC process	✓	Tick when completed
Construction Plywood Grade H3.2CCA treated Kiln Dried and 17mm thick.	<input type="checkbox"/>	
Use only square edged construction plywood with all edges fully supported with timber and close butted.	<input type="checkbox"/>	
<b>No fillets</b> required, all internal angles formed at 90 degrees.	<input type="checkbox"/>	
Install plywood sheets close butted with sanded c-face upwards and face grain at right angles to supports.	<input type="checkbox"/>	
Plywood installed to specified falls with no areas of ponding. (refer to product manual)	<input type="checkbox"/>	
3mm clearances from all perimeter abutments.	<input type="checkbox"/>	
Sheet edges fully supported, fixed 150mm on edges and 200mm through girth. <b>(T &amp; G Plywood not acceptable).</b>	<input type="checkbox"/>	
Grade 316 Stainless Steel counter sunk screw fixing, 50 Gauge x 50mm or a length three times that of the plywood thickness.	<input type="checkbox"/>	
5mm radius to all external corners. (No fillets to internal corners).	<input type="checkbox"/>	
Moisture content at the time of installation to be below 20%.	<input type="checkbox"/>	
Allproof SUREFLOW outlet droppers recessed into plywood just under flush with substrate surface.	<input type="checkbox"/>	
Type 316 Stainless Steel scuppers recessed into plywood just under flush with substrate surface.	<input type="checkbox"/>	
Allproof overflow sumps installed into plywood substrate just under flush with the plywood substrate.	<input type="checkbox"/>	
Substrate clean, firm and suitable condition for laying, make good any defects.	<input type="checkbox"/>	
Plinths formed for any exterior ventilation, fixtures or similar.	<input type="checkbox"/>	

**WHEN THE SUBSTRATE IS READY, COMPLETE THIS FORM AND EMAIL TO THE WATERPROOFING SUBCONTRACTOR.**

<b>Notes</b>			
<b>Name</b>			
<b>Signature</b>		<b>Date</b>	